. REFERENCES

[1]. Aguiar, RAA, Savi, MA & Pacheco, PMCL 2013, 'Experimental investigation of vibration reduction using shape memory alloys', 'Journal of Intelligent Material Systems and Structures', vol. 24, no.2, pp. 247 261

[2]. Bai, MR & Lin, GM 1996, 'The development of DSP-based active small amplitude vibration control system for flexible beams by using the LQG Algorithms and intelligent materials', journal of sound and vibration,vol.198, no.4, pp. 411-427.

[3]. Baz. A, Imam and K & Mc Coy, J 1990, 'Active vibration control of flexible beams using shape memory actuators', 'journal of sound and Vibration', vol.140, no.3, pp. 437 -456.

[4]. Baillargeon, BP & Vel, SS 2004, 'Active vibration suppression of smart structures using piezoelectric shear actuators', 'proceedings of the fifteenth International Conference on Adaptive Structures and Technologies', Bar Harbor, Maine. pp. 141-148

[5]. Chen. SH, Lien-Wen, Lin, Chung-Yi & Wang, CC 2002, 'Dynamic stability analysis and control of a composite beam with piezoelectric layers', 'composite structures',vol.56,no.1,pp97-109.

[6]. Dao Gong, Jin-song Zhou and Sun, WZ 2013, On the resonant vibration of a flexible railway car body and its suppression with a dynamic vibration absorber Journal of Vibration and Control, vol. 19, no.5, pp. 649 657.

[7]. Donoso. A & Sigmund, O 2008, 'optimization of bimorph actuators with active damping for static and dynamic loads', struct multidisc optim, Springer Verlag. vol. 38, no. 4, pp. 171-183.

[8]. Hu & Vukovich, G 2005, 'Active robust shape control of flexible structures', Mechatronics , vol .15,pp.807-820

[9]. Huang, D & sun, BH 2001, 'approximate solution on smart composite beams by using MATLAB', Composite structures, vol.54 , no.2-3 , pp. 197-205

[10]. Kadioglu & Fethi 2005, 'Free vibration of composite re-bars in reinforced structures', journal of sound and vibration, vol. 287, no. 4, pp. 1013-1026.

[11]. Kermani, MR, Moallem, M & Patel, RV 2002, 'optimizing the performance of piezoelectric actuators for active vibration control', Proceedings of the 2002 IEEE Conference on Robotics and Automation, Washington DC. pp. 87-92.

[12]. Kiral, zeki, malgaca, levent, akdag, & Murat 2008, 'Active control of residual vibrations of a cantilever smart beam', Turkish Journal of Engineering and Environmental Sciences, vol.32, no. pp. 51 - 57.

[13]. Lee, Seong-Cheol, Kwon, Tae-Kyu, Yun & Yeo-Hung 2000, 'robust control of glass fiber composite beam using m synthesis algorithm', International Journal of the Korean Society of Precision Engineering, vol. 1, no.2. pp. 76-83.

[14]. Lin, Chien-Chang & Huang, HN 1999, 'vibration control of beam- plates with bonded piezoelectric sensors and actuators', composites and Structures, vol. 73, no.1-5, pp. 239-248.

[15]. Liu, GR., Peng, XQ, Lam, KY & Tani, J 1999, 'vibration control simulation of laminated composite plates with integrated piezoelectrics', journal of sound and vibration, vol. 220, no. 5, pp. 827-846.

[16]. Marur, SR & Kant T 1996, 'Free vibration analysis of fiber reinforced composite beams using higher order theories and finite element modeling', journal of sound vibration, vol.194, no.3, pp. 337-351.

[17]. Moita, JS 2008, 'optimal dynamic control of laminated adaptive structures using a higher order medal and a genetic algorithm', Computers and Structures, vol.86, no. pp.198-206.

[18]. Park, CH & Baz, A 1999,' vibration control of bending modes of plates using active constrained layer damping ', Journal of sound and vibration, vol. 227,

[19]. Peng, XQ, Lam, KY & Liu, GR 1998, 'a vibration control of Composite Beams with Piezoelectrics: A Finite Element Model with third order theory', Journal of Sound and Vibration, vol.209, no.4, pp. 635 - 650.

[20]. Ramtekkar, GS & Desai, YM 2002, 'Natural vibrations of laminated composite beams by using mixed finite element modeling', 'Journal of Sound and Vibration, vol. 257, no.4, pp.635-651.

[21]. Reza Moheimani, SO, Pota, Hemanshu, R, Petersen & Ian, R 1998, Proceedings of the thirty seventh IEEE conference on decision and control, Florida, USA, pp.4308-4313.

[22]. Rustighi E, Brennam MJ & Mac BR 2005, 'A shape memory alloy adaptive tuned vibration absorber: design and implementation,' smart materials & structures, vol.14, no.1.pp.19-28.

[23]. Shivaji S. Aher international journal of science and management vol.no.4,issue 10, oct2015

[24]. Song, G, Qiao, PZ, Binienda, WK & Zou, GP 2002,'Active vibration damping of composite beam using smart sensors and actuators', journal of aerospace engineering , vol.15.no.3,pp .97-103

[25]. Sun, B & Huang, D 2001 , ' vibration suppression of laminated composite beam with a piezo – electric damping layer ', composite structures, vol.53,no.4,pp.437-447

[26]. Umesh K, Ranjan G 2009, 'shape and vibration control of smart composite plate with matrix cracks,' smart materials and structures , Vol. 18, no.2,pp.25-36

[27]. Valoor, Manish, T Chandrasekaran, k. Agarwal & Sanjeev, 2001, 'self adaptive vibration control of smart composite structure beams using recurrent neural architecture', international journal of solids and structures, vol. 38, pp. 7857-7874.

[28]. Williams, KA Chiu, G & Bernhard, j 2002, 'Adaptive – passive absorbers using shape memory alloys', journal of sound and vibration, Vol. 249, no.5, pp.835-848

[29]. Williams, KA, Chiu, G & Bernhard RJ 2005 Nonlinear control of a shape memory alloy adaptive tuned vibration absorber Journal of Sound and Vibration, vol. 288, pp.1131-1155.

[30]. Xinke & Gou 2007, 'Active vibration control of a cantilever beam using bonded piezoelectric sensors and actuators', The eighth international Conference on Electronic Measurement and Instruments, pp.186 -191.

[31]. Yoshiaki Itoh, Toru Yamazaki, Hun-ok Lim and Kenichi Takemura, Robot development project with human and eco-friendly smart materials toh et al. Robomech J (2016) 3:21 DOI 10.1186/s40648-016-0060-4

[32]. Youn, SH, Han, JH & Lee, I 2000, 'Neuro- -adaptive vibration control of composite beams subjected to sudden delamination ', journal of Sound and Vibration, vol.238, no.2, pp. 215- 231.

[33]. Zhang, wenming, meng guang, Li & Hong guang 2006, 'Adaptive vibration control of micro-cantilever beam with piezoelectric actuator in MEMS', International journal of advanced manufacturing technology, vol.28, no.3,pp.321-327.

[34]. Zhi-cheng , QU, Zhang, XM, Wu, HX& Zhang, HH 2007 , ' optimal placement and active vibration control for piezoelectric smart flexible cantilever plate', journal of sound and vibration , vol.301,pp .521-543